



Baseline product line

MotionCam Jeweller

Wireless IR motion detector supporting the photo by alarm feature



The MotionCam series includes detectors with Photo on Demand, Photo by Schedule, and Photo by Scenario features. These devices have the "PhOD" mark in the product name.

Motion detection

- Motion detection distance of up to 12
- Horizontal motion detection angle: 88.5
- Temperature compensation for motion detection at any operating temperature

Photo verification

- Up to 640 × 480 pixels photo resolution
- From 1 up to 5 photos in a series
- The first photo delivery in 9 s
- IR backlight for low-light conditions

Jeweller and Wings communication technologies

- Up to 1,700 m of radio communication in an open space
- Data is encrypted throughout the transmission proces
- Regular polling to display current device staturse
- Frequency hopping to prevent radio interference and jamming

False alarms prevention

- Three sensitivity levels: selectable in the ap
- SmartDetect algorithm to prevent false alarm
- Pet immunity: pets with a height of up to 50 cm and a weight1 of up to 20 kg

Flawless autonomy

- Up to 4 years of operation from pre-installed batterie
- Low battery notifications

Sabotage protection

- Tamper alar
- Device authentication to prevent spoofing



Motion Cam



Photo on demand Motion Cam
office installation




Photo on demand Motion Cam
apartment Installation



Photo on demand Motion Cam
reception area




Photo on demand Motion Cam
office area